

Supported Devices

The following devices are tried and tested with our VoIP platform, and the majority of which can be setup using our auto-provisioning tools. You can choose to connect other non-tested devices, they will need to be added to the panel using the 'Other' option and user credentials entered into it manually.

Model	Auto-Provision Support	Portal Management
Cisco		
7811		
7821		
7841		
7861		
8811		
8841		
8851		
8861		
SPA303		
SPA504		
Fanvil		
X3U		
X3SG		
X4U		
X4G		
X5U		
X6U		
X7C		
X210		
H2U		
H3/W		
H5/W		
Gigaset		
Basic		
Maxwell 2		
Maxwell 3		
Maxwell 4		
Grandstream		
GXP1610		
GXP1615		
GXP1620		
GXP1625		
GXP1628		
GXP1630		
GXP1760W		
GXP1780		
GXP1782		
GXP2130		
GXP2135		
GXP2140		
GXP2160		
GXP2170		
GRP2612		
GRP2613		
GRP2614		
GRP2615		

GRP2616		
WP810		
WP820		
HT801		
Polycom		
VVX101		
VVX150		
VVX201		
VVX250		
VVX300 / 301 / 310 / 311		
VVX350		
VVX400 / 401 / 410 / 411		
VVX450		
VVX500 /501		
VVX600 /601		
Snom		
D120		
D305		
D315		
D345		
D375		
D385		
D712		
D715		
D717		
D725		
D735		
D745		
D765		
D785		
821		
Yealink		
T21P		
T22P		
T23G / P		
T27G / P		
T29G		
T30P		
T31G		
T40G / P		
T41P / S		
T42G / S		
T46G / S		
T48G / S		
T53W		
T54S / W		
T57W		
T58A		
W52P		
W53P		
W60P		

Softphones

At the present time the only option would be to set these up manually.